



# NOVELIO®

## Compilation

### NOVELIO® Classic

**A range of traditional products**

NOVELIO® authentique  
NOVELIO® pigment  
NOVELIO® renovation



### NOVELIO® Decoration

**Broad range of new  
decors with more relief**

NOVELIO® exclusive  
NOVELIO® florentines  
NOVELIO® frises



### NOVELIO® Specific

**Technical solution  
for walls and ceilings**

NOVELIO® CleanAir  
NOVELIO® Mold-X  
ACOUSTIVER®  
EASYGLUE®  
EASYFIX®



### NOVELIO® Application

**Technical informations  
for a complete range**

Wall coverings profits  
Novelio® benefits  
Application



# NOVELIO® authentique



A touch of class for your colours



## Weaving - 1010 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



# Fishbone - 2004 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



# Ceiling - 1003 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



Braid - 1009 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



Fabric - 1012 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



# Domino - 2002 N

Technical Data Sheet




Oeko-Tex class 1



Euroclass B-s1, d0





# Mosaic - 1023 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



Lozenge - 2007 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



# Canvas - 1005 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



## Mini weaving - 1024 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



# Diagonal - 2005 N


Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



Small caro - 1030 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



# Large fishbone - 2006 N


Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



# Big caro - 1029 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



# NOVELIO® pigment



Save time, a single coat of paint will do the job



## Weaving pigment - 1013 P

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



## Fishbone pigment - 2004 P

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



## Ceiling pigment - 1006 P

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



Braid pigment - 1009 P

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0

# NOVELIO® renovation



The solution to reinforce walls and ceilings



# Glass Veil - VV35

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



# Glass Veil - VV45

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0





## Glass Veil pigment - VV85 P

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



# Glass Veil pigment - VV120 P

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



# Glass Veil pigment - VV190 P

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0

NOVELIO® exclusive



A new design with bolder relief. Set your imagination free



Palm - 8860 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



Peony - 8861 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



Fern - 8862 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



Vine - 8863 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0





Edelweiss - 8864 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



Aztec - 8865 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



Hash - 8866 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



# Serpentin - 8867 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



Flint - 8868 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



Lace - 8869 N

Technical Data Sheet





Cosmos - 8870 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



Sweet - 8871 N

Technical Data Sheet




Oeko-Tex class 1



Euroclass B-s1, d0





Trellis - 8872 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



Cashemire - 8873 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



# Foliage - 8874 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



# Undulation - 8875 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



# Bamboo - 8876 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



Twist - 8877 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



Jungle - 8878 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



# Flower - 8879 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



# NOVELIO® florentines



For all tastes



# Mini lozenge - 7080 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



# Diamantine - 7530 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



# Small diagonal - 7540 N


Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



Croisine - 7550 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



# Chevaine - 7560 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



# Dravine - 7570 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



Gresine - 7700 N

Technical Data Sheet




Oeko-Tex class 1



Euroclass B-s1, d0





Crepine - 7710 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



Entreline - 7720 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



Losine - 7730 N

Technical Data Sheet



# NOVELIO® frises



The final touch



# Geometry - 6610 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



# Graffiti - 6620 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



# Florentin - 6630 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



Classic - 6640 N

Technical Data Sheet



Oeko-Tex class 1



Euroclass B-s1, d0



# NOVELIO® CleanAir



Indoor air quality a priority for everyone



# Weaving - 1010 CAir

CleanAlr 1

Technical Data Sheet

CleanAlr 2



Oeko-Tex class 1



Euroclass B-s1, d0



# Ceiling - 1003 CAir

CleanAir 1

Technical Data Sheet

CleanAir 2



Oeko-Tex class 1



Euroclass B-s1, d0



# Braid - 1011 CAir

CleanAlr 1

Technical Data Sheet

CleanAlr 2



Oeko-Tex class 1



Euroclass B-s1, d0



# Crepine - 7710 CAir

CleanAlr 1

Technical Data Sheet

CleanAlr 2



Oeko-Tex class 1



Euroclass B-s1, d0



# Weaving pigment - 1013 PCAir

CleanAir 1

Technical Data Sheet

CleanAir 2



Oeko-Tex class 1



Euroclass B-s1, d0

# NOVELIO® Mold-X



Indoor sanitary safety



# Weaving - 1010 MX

Mold-X 1

Technical Data Sheet

Mold-X 2



Oeko-Tex class 1



Euroclass B-s1, d0





# Ceiling - 1003 MX

Mold-X 1

Technical Data Sheet

Mold-X 2



Oeko-Tex class 1



Euroclass B-s1, d0



# Braid - 1011 MX

Mold-X 1

Technical Data Sheet

Mold-X 2



Oeko-Tex class 1



Euroclass B-s1, d0



# Crepine - 7710 MX

Mold-X 1

Technical Data Sheet

Mold-X 2



Oeko-Tex class 1



Euroclass B-s1, d0



## Weaving pigment - 1013 PMX

Mold-X 1

Technical Data Sheet

Mold-X 2



Oeko-Tex class 1



Euroclass B-s1, d0

ACOUSTIVER®



The solution for thermal and acoustic comfort



# Weaving acoustic - 1013 A

Acoustiver 1

Technical Data Sheet

Acoustiver 2



Oeko-Tex class 1



Euroclass B-s1, d0



# Fishbone acoustic - 2004 A

[Acoustiver 1](#)

[Technical Data Sheet](#)

[Acoustiver 2](#)



Oeko-Tex class 1



Euroclass B-s1, d0



# Braid acoustic - 1009 A

Acoustiver 1

Technical Data Sheet

Acoustiver 2



Oeko-Tex class 1



Euroclass B-s1, d0





# Crepine acoustic - 7710 A

[Acoustiver 1](#)

[Technical Data Sheet](#)

[Acoustiver 2](#)



Oeko-Tex class 1



Euroclass B-s1, d0

EASYGLUE®



Improving the competitiveness & speed of professionals



# Weaving - 1010 E

[View the video](#)

[Technical Data Sheet](#)



Oeko-Tex class 1



Euroclass B-s1, d0



## Weaving pigment - 1013 PE

[View the video](#)

[Technical Data Sheet](#)



Oeko-Tex class 1



Euroclass B-s1, d0



# Fishbone pigment - 2004 PE

[View the video](#)

[Technical Data Sheet](#)





## Braid pigment - 1009 PE

[View the video](#)

[Technical Data Sheet](#)



Oeko-Tex class 1



Euroclass B-s1, d0

EASYFIX<sup>®</sup>



*Apply and paint all in one day*



# Weaving - 5101 SA

[View the video](#)

[Technical Data Sheet](#)



Oeko-Tex class 1



Euroclass B-s1, d0





# Ceiling - 5103 SA

[View the video](#)

[Technical Data Sheet](#)



Oeko-Tex class 1



Euroclass B-s1, d0



# Braid - 5104 SA

[View the video](#)

[Technical Data Sheet](#)



Oeko-Tex class 1



Euroclass B-s1, d0

# NOVELIO® paintable wall covering is the solution you have been waiting for



## Hard-wearing

NOVELIO® paintable wall covering smoothes over cracks and reinforces delicate surfaces.

---

## Ultra-hygienic

NOVELIO® paintable wall covering is rot-proof and breathable.

---



## Easy maintenance

NOVELIO® paintable wall covering, a simple wipe over will keep the surface immaculate.

---

# Decorate for durability with NOVELIO®



## Fire-proof

NOVELIO® is the recommended choice for public spaces.

## Extra tough

NOVELIO® withstands friction and is shock resistant, making it ideal for intensive use.

---



## Easy to apply

NOVELIO® is technologically designed to make installation as easy as possible.

## Ready to paint

NOVELIO® will guarantee a perfect paint job.

## Range of textures

NOVELIO® will lend a touch of elegance to any interior.

## Ultra hardwearing

NOVELIO® can be washed down and painted over and over again.

---



# NOVELIO<sup>®</sup>, the wall covering of the future

## *Environmentally friendly innovation*



Oeko Tex Label

Safe Use Instruction Sheet

NOVELIO<sup>®</sup> bears the Oeko-Tex label class 1, which guarantees that it cares for your health and the environment.

NOVELIO<sup>®</sup> 's flexible coating and its ability to be repositioned and cut without distorting considerably reduces waste on the worksite.

NOVELIO<sup>®</sup> paintable wall coverings are easy to maintain, rot-proof, and shock and fire resistant, which is why they are ultra long-lasting.


Reduce waste. NOVELIO<sup>®</sup> is minimally packaged with recyclable materials that respect the environment.



NOVELIO<sup>®</sup> paintable wall coverings are composed of 80% glass fibre, which essentially comprises of sand, chalk and clay.


# NOVELIO® paintable wall coverings are the choice of professionals seeking flexibility

*The top-quality flexible coating ensures perfect stability when glueing*




*Without flexible coating*


NOVELIO® can be repositioned, making light work of difficult seams. NOVELIO® is soft to the touch and wrinkle-proof, making it easy to apply, even on highly technical jobs.



*NOVELIO® makes the difference*




*Without flexible coating*




*Perfect finish with NOVELIO®*

NOVELIO® wall coverings are extremely flexible, ensuring a perfect finish every time.



*Without flexible coating*



*NOVELIO®: easy to cut*


NOVELIO® wall coverings are easy to cut and will not pull out of shape. They remain perfectly smooth even when drenched in glue.

Painting NOVELIO® is a pleasurable task - paint application is fast and easy - and you are sure of a perfect finish every time.



*Painting NOVELIO® is fast and easy*

# NOVELIO® paintable wall covering is the solution you have been waiting for



*Advised tools*

[View the video](#)

## Tools for hanging glass textile wallcoverings

- |                     |                          |
|---------------------|--------------------------|
| 1 - metal rule      | 8 - tape measure         |
| 2 - spirit level    | 9 - brush                |
| 3 - scissors        | 10 - elbow brush         |
| 4 - trimming trowel | 11 - wallcovering trowel |
| 5 - trowel          | 12 - bucket              |
| 6 - pencil          | 13 - paint roller        |
| 7 - cutter          |                          |

Hanging glass textile wallcovering presents no problems for the professional painter and decorator. Surfaces must be treated so that they are clean, smooth, even firm and stable.



*Prepare the wall*

1 - Prepare the wall by filling the surface irregularities.



*Rub down the wall*

2 - Rub down with sandpaper and paint the wall.

# Application paintable wall covering NOVELIO®



*Cut the fabric*

**3** - Cut the fabric in lengths or strips. Measure the height of the wall +10 cm. For pattern matching, allow extra fabric.



*Apply glue to wall*

**4** - Roll the adhesive.



*Apply 1st fabric*

**5** - Apply the fabric to the wall and press firmly. Make sure that the first length hangs vertically.

[View the video](#)



*Apply 2nd fabric*

**6** - The fabric has trimmed edges, which allows hanging edge to edge. Press firmly onto the surface with a plastic spatula.



*Trim the fabric*

**7** - Trim neatly at the ceiling and floor.



*Paint the fabric*

**8** - Start to paint the wall when the fabric has dried. Apply the acrylic paint with a roller.